

## BELT DRIVEN LIVE ROLLER CONVEYOR QUOTATION WORKSHEET

Company \_\_\_\_\_ Date \_\_\_\_\_  
 Contact \_\_\_\_\_ Quote Due \_\_\_\_\_ Desired Delivery \_\_\_\_\_  
 Phone No.: \_\_\_\_\_ Contact Email: \_\_\_\_\_ State \_\_\_\_\_  
 Omni Sales Contact: \_\_\_\_\_ Quote #: \_\_\_\_\_  
 Quantity: \_\_\_\_\_

### Product Specs:

Max:  
 Width (inches): \_\_\_\_\_ Length (inches): \_\_\_\_\_  
 Height (inches): \_\_\_\_\_ Weight (lbs): \_\_\_\_\_  
 Min:  
 Width (inches): \_\_\_\_\_ Length (inches): \_\_\_\_\_  
 Height (inches): \_\_\_\_\_ Weight (lbs): \_\_\_\_\_  
 Description: \_\_\_\_\_  
 Max. Qty.: \_\_\_\_\_ Total Live Load: \_\_\_\_\_  
 Temperature  
 Environment: \_\_\_\_\_  
 Product: \_\_\_\_\_

### Conveyor Construction:

- Light Duty BDLR (Bolt-Together)
  - Galvanized  Finish Coat
- Medium Duty BDLR (Welded/Finish Coat)
- Heavy Duty BDLR (Welded/Finish Coat)

### Conveyor Finish:

- Painted  Epoxy Painted
- Powder Coated Color/RAL: \_\_\_\_\_
- Stainless Steel

### Roller Specs.:

- 1.9 in. dia. x 16 ga. galv. Roller c/c: \_\_\_\_\_
- 1.9 in. dia. x .145 in. wall  Precision Bearings
- 2 1/2 in. dia. x 11 ga.  Other: \_\_\_\_\_

### Application Type:

- Transportation Type
- Minimum Pressure Type
- Zero Pressure Type

Between Frame Width: \_\_\_\_\_

(Standard B.F.'s: 14, 18, 22, 26, 32, 38)

### Support Type:

- Legs  Ceiling Supports  None
- TOR: \_\_\_\_\_

### Speed:

- FPM: \_\_\_\_\_  Fixed  Variable (10:1 ratio)

Horsepower: \_\_\_\_\_

- Drive Type:  Under Hung  Shaft Mount  
 Side Mount (Chain Driven)

Drive Location:  Infeed End  Center

### Plant Voltage:

- 115V Single Phase  460V Three Phase
- 230V Single Phase  208V Three Phase
- 230V Three Phase  575V Three Phase

### Conveyor Description:

- See Layout:  Attached  
 Location: \_\_\_\_\_

### Components:

Qty.	Description
_____	_____ 'L. _____ HP
_____	_____ 'L. _____ HP
_____	_____ 'L. _____ HP
_____	_____ ° V-Belt Driven Curve
_____	<input type="checkbox"/> Slaved <input type="checkbox"/> Driven <input type="checkbox"/> LH <input type="checkbox"/> RH
_____	_____ ° V-Belt Driven Curve Spur
_____	<input type="checkbox"/> Slaved <input type="checkbox"/> Driven <input type="checkbox"/> LH <input type="checkbox"/> RH
_____	_____ ° V-Belt Driven Straight Spur
_____	<input type="checkbox"/> Slaved <input type="checkbox"/> Driven <input type="checkbox"/> LH <input type="checkbox"/> RH

### Zero Pressure Accumulation:

- \_\_\_\_\_ 'L. \_\_\_\_\_ HP  
 \_\_\_\_\_ " Zone Length  
 Trigger Roller  Photo-Eye

### Conveyor Accessories:

- Blade Stop  Air Operated  Manual (Hand)  
 Guard Rail:  Fixed Angle 1.5" x 2.0"  
 Other: \_\_\_\_\_

Other: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Approval Drawing Required:  Yes  No