

Submit to: info@omni.com www.omni.com

CDLR CONVEYOR QUOTATION WORKSHEET

Company	Date
Contact	Quote Due Desired Delivery
Phone No.:	Contact Email:State
Omni Sales Contact:	Quote #:
Quantity:	
Product Specs:	Plant Voltage:
Max:	☐ 110V Single Phase ☐ 460V Three Phase
Width (inches): Length (inches):	
Height (inches):Weight (lbs):	220V Three Phase 575V Three Phase
Min:	
Width (inches): Length (inches):	Application Information:
Height (inches):Weight (lbs):	Product Enters By:
Description:	☐ Conveyed On ☐ Fork Truck
Max. Qty.: Total Live Load:	☐ Robot ☐ Other
	Product Exits By:
Temperature	☐ Conveyed off ☐ Fork Truck
Environment:	☐ Robot ☐ Other
Product:	interlacing with.
1100000	Stacker Destacker Wrapper
Conveyor Construction: Welded Painted Epoxy Painted Powder Coated Color/RAL: Stainless Steel	Accumulation: Ultrex Indexing Accessories: Endstops Isideguides Indexing Other:
Conveyor Specifications: Length Effective Width	
Roller Diameter	Other:
Roller Centers	
Rollers Set: Low/Low High/Low	
TOR (Top of Roller Height)	
Drive Mount: High Low Below and	Within ————————————————————————————————————
Controls	
Speed: F.P.M.: □Fixed □Variable (1	10:1 Ratio) ————————————————————————————————————
☐ AC Speed Controller ☐ DC Speed Control	oller ———————————————————————————————————
Mechanical Variable Speed Adjustment	
Customer Requested Horsepower:	